

## Pelvis Pro References

1. Libby P, Tabas I, Fredman G, Fisher EA. Inflammation and its resolution as determinants of acute coronary syndromes. *Circ Res*. 2014;114(12):1867-1879.
2. Pahk,K.;Kim,E.J.;Kwon, H.W.; Joung, C.; Seo, H.S.; Kim, S. Association of Inflammatory Metabolic Activity of Psoas Muscle and Acute Myocardial Infarction: A Preliminary Observational Study with 18F-FDG PET/CT. *Diagnostics* 2021, 11, 511.
3. Yoon SK, Kim HN, Song SW. Associations of skeletal muscle mass with atherosclerosis and inflammatory markers in Korean adults. *Arch Gerontol Geriatr*. 2020;90:104163.
4. Ferrari R, Caram LM, Faganello MM, Sanchez FF, Tanni SE, Godoy I. Relation between systemic inflammatory markers, peripheral muscle mass, and strength in limb muscles in stable COPD patients. *Int J Chron Obstruct Pulmon Dis*. 2015;10:1553-1558.
5. Nachemson A. Electromyographic studies on the vertebral portion of the psoas muscle; with special reference to its stabilizing function of the lumbar spine. *Acta Orthop Scand*. 1966;37(2):177-190.
6. Bogduk N, Pearcy M, Hadfield G. Anatomy and biomechanics of the psoas major. *Clin Biomech*. 1992. 7:109– 119
7. Penning L. Psoas muscle and lumbar spine stability: a concept uniting existing controversies. Critical review and hypothesis. *Eur Spine J*. 2000;9(6):577-585.
8. Sullivan W, Gardin FA, Bellon CR, Leigh S. Effect of Traditional vs. Modified Bent-Knee Sit-Up on Abdominal and Hip Flexor Muscle Electromyographic Activity. *J Strength Cond Res*. 2015;29(12):3472-3479.
9. Yoshio M, Murakami G, Sato T, Sato S, Noriyasu S. The function of the psoas major muscle: passive kinetics and morphological studies using donated cadavers. *J Orthop Sci*. 2002;7(2):199-207.
10. Gibbons, Sean. Clinical anatomy and function of psoas major and deep sacral gluteus maximus. *Movement, Stability & Lumbopelvic Pain*. 2007. 95-102.
11. Barker KL, Shamley DR, Jackson D. Changes in the cross-sectional area of multifidus and psoas in patients with unilateral back pain. *Spine* 2004;29:515–19.
12. Stewart S, Stanton W, Wilson S, Hides J. Consistency in size and asymmetry of the psoas major muscle among elite footballers. *Br J Sports Med*. 2010;44(16):1173-1177.
13. Lifshitz L, Bar Sela S, Gal N, Martin R, Fleitman Klar M. Iliopsoas the Hidden Muscle: Anatomy, Diagnosis, and Treatment. *Curr Sports Med Rep*. 2020;19(6):235-243.
14. MoresideJ,Wongl,RutherfordD.Alterederectorspinaeactivityandtrunkmotion occurs with moderate and severe unilateral hip OA. *J. Orthop. Res*. 2018; 36:1826–32.
15. Siccardi MA, Tariq MA, Valle C. Anatomy, Bony Pelvis and Lower Limb, Psoas Major. In: *StatPearls*. StatPearls Publishing, Treasure Island (FL); 2020. PMID: 30571039.
16. Jenó SH, Schindler GS. Anatomy, Bony Pelvis and Lower Limb, Thigh Adductor Magnus Muscle. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing; August 8, 2021.
17. Benn ML, Pizzari T, Rath L, Tucker K, Semciw AI. Adductor magnus: An EMG investigation into proximal and distal portions and direction specific action. *Clin Anat*. 2018 May;31(4):535-543.

18. Takizawa M, Suzuki D, Ito H, Fujimiya M, Uchiyama E. Why adductor magnus muscle is large: the function based on muscle morphology in cadavers. *Scand J Med Sci Sports*. 2014 Feb;24(1):197-203.
19. Sato, Kengo & Nimura, Akimoto & Yamaguchi, Kumiko & Akita, Keiichi. (2012). Anatomical study of the proximal origin of hamstring muscles. *Journal of orthopaedic science: official journal of the Japanese Orthopaedic Association*. 17. 614-8.
20. Ito J, Moriyama H, Inokuchi S, Goto N. Human lower limb muscles: an evaluation of weight and fiber size. *Okajimas Folia Anat Jpn* 2003; 80: 47–55.
21. Leighton RD. A functional model to describe the action of the adductor muscles at the hip in the transverse plane. *Physiother Theory Pract*. 2006;22(5):251-262
22. Serner A, Tol JL, Jomaah N, et al. Diagnosis of Acute Groin Injuries: A Prospective Study of 110 Athletes. *Am J Sports Med*. 2015;43(8):1857-1864.
23. Walters BB, Varacallo M. Anatomy, Bony Pelvis and Lower Limb, Thigh Sartorius Muscle. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing; August 17, 2021.
24. Urquhart DM, Hodges PW. Differential activity of regions of transversus abdominis during trunk rotation. *Eur Spine J*. 2005;14(4):393-400.
25. Ha SY, Shin D. The effects of curl-up exercise in terms of posture and muscle contraction direction on muscle activity and thickness of trunk muscles. *J Back Musculoskelet Rehabil*. 2020;33(5):857-863.
26. Massé-Alarie H, Beaulieu LD, Preuss R, Schneider C. Task-specificity of bilateral anticipatory activation of the deep abdominal muscles in healthy and chronic low back pain populations. *Gait Posture*. 2015;41(2):440-447.
27. Tokuno CD, Cresswell AG, Thorstensson A, Carpenter MG. Recruitment order of the abdominal muscles varies with postural task. *Scand J Med Sci Sports*. 2013;23(3):349-354.
28. Westad C, Mork PJ, Vasseljen O. Location and sequence of muscle onset in deep abdominal muscles measured by different modes of ultrasound imaging. *J Electromyogr Kinesiol*. 2010;20(5):994-999.
29. Crommert ME, Bjerkefors A, Tarassova O, Ekblom MM. Abdominal Muscle Activation During Common Modifications of the Trunk Curl-up Exercise. *J Strength Cond Res*. 2021;35(2):428-435.
30. Neumann DA. Kinesiology of the hip: a focus on muscular actions. *J Orthop Sports Phys Ther*. 2010;40:82-94.
31. Willard FH, Vleeming A, Schuenke MD, Danneels L, Schleip R. The thoracolumbar fascia: anatomy, function and clinical considerations. *J Anat*. 2012;221(6):507-536.
32. Workman JC, Docherty D, Parfrey KC, Behm DG. Influence of pelvis position on the activation of abdominal and hip flexor muscles. *J Strength Cond Res*. 2008;22(5):1563-1569.
33. Yoon TL, Kim KS, Cynn HS. Slow expiration reduces sternocleidomastoid activity and increases transversus abdominis and internal oblique muscle activity during abdominal curl-up. *J Electromyogr Kinesiol*. 2014;24(2):228-232.
34. Kim TW, Kim YW. Effects of abdominal drawing-in during prone hip extension on the muscle activities of the hamstring, gluteus maximus, and lumbar erector spinae in subjects with lumbar hyperlordosis. *J Phys Ther Sci*. 2015;27(2):383-386.

35. Urquhart DM, Hodges PW, Allen TJ, Story IH. Abdominal muscle recruitment during a range of voluntary exercises. *Man Ther.* 2005;10(2):144-153.
36. Gudena R, Alzahrani A, Railton P, Powell J, Ganz R. The anatomy and function of the obturator externus. *Hip Int.* 2015;25(5):424-427.
37. Hodges PW, McLean L, Hodder J. Insight into the function of the obturator internus muscle in humans: observations with development and validation of an electromyography recording technique. *J Electromyogr Kinesiol.* 2014;24(4):489-496.
38. Solomon LB, Lee YC, Callary SA, Beck M, Howie DW. Anatomy of piriformis, obturator internus and obturator externus: implications for the posterior surgical approach to the hip. *J Bone Joint Surg Br.* 2010;92(9):1317-1324.
39. Shinohara H. Gemelli and obturator internus muscles different heads of one muscle?. *Anatomical Record* 1995;243(1):145-50
40. DeLancey JO. Structural support of the urethra as it relates to stress urinary incontinence: the hammock hypothesis. *Am J Obstet Gynecol* 1994;170(6):1713-20
41. Giphart JE, Stull JD, Laprade RF, Wahoff MS, Philippon MJ. Recruitment and activity of the pectineus and piriformis muscles during hip rehabilitation exercises: an electromyography study. *Am J Sports Med.* 2012;40(7):1654-1663.
42. Yoo S, Dedova I, Pather N. An appraisal of the short lateral rotators of the hip joint. *Clin Anat.* 2015;28(6):800-812.
43. Retchford TH, Crossley KM, Grimaldi A, Kemp JL, Cowan SM. Can local muscles augment stability in the hip? A narrative literature review. *J Musculoskelet Neuronal Interact.* 2013;13(1):1-12.
44. Goubert D, Oosterwijck JV, Meeus M, Danneels L. Structural Changes of Lumbar Muscles in Non-specific Low Back Pain: A Systematic Review. *Pain Physician.* 2016;19(7):E985-E1000.
45. Mazis N. Does a history of non specific low back pain influence electromyographic activity of the erector spinae muscle group during functional movements. *J. Nov. Physiother.* 2014;4:226.
46. Williams MJ, Gibson NV, Sorbie GG, Ugbohue UC, Brouner J, Easton C. Activation of the Gluteus Maximus During Performance of the Back Squat, Split Squat, and Barbell Hip Thrust and the Relationship With Maximal Sprinting. *J Strength Cond Res.* 2021;35(1):16-24.
47. Neto WK, Soares EG, Vieira TL, et al. Gluteus Maximus Activation during Common Strength and Hypertrophy Exercises: A Systematic Review. *J Sports Sci Med.* 2020;19(1):195-203.
48. Macadam P, Feser EH. EXAMINATION OF GLUTEUS MAXIMUS ELECTROMYOGRAPHIC EXCITATION ASSOCIATED WITH DYNAMIC HIP EXTENSION DURING BODY WEIGHT EXERCISE: A SYSTEMATIC REVIEW. *Int J Sports Phys Ther.* 2019;14(1):14-31.
49. Gibbons, Sean. Clinical anatomy and function of psoas major and deep sacral gluteus maximus. *Movement, Stability & Lumbopelvic Pain.* 2007. 95-102.
50. Takahashi K, Kamibayashi K, Wakahara T. Muscle size of individual hip extensors in sprint runners: Its relation to spatiotemporal variables and sprint velocity during maximal velocity sprinting. *PLoS One.* 2021;16(4):e0249670.

51. Webster KA, Gribble PA. A comparison of electromyography of gluteus medius and maximus in subjects with and without chronic ankle instability during two functional exercises. *Phys Ther Sport*. 2013;14(1):17-22.
52. Moore D, Semciw AI, Pizzari T. A SYSTEMATIC REVIEW AND META-ANALYSIS OF COMMON THERAPEUTIC EXERCISES THAT GENERATE HIGHEST MUSCLE ACTIVITY IN THE GLUTEUS MEDIUS AND GLUTEUS MINIMUS SEGMENTS. *Int J Sports Phys Ther*. 2020;15(6):856-881.
53. Connelly CM, Moran MF, Grimes JK. COMPARATIVE ANALYSIS OF HIP MUSCLE ACTIVATION DURING CLOSED-CHAIN REHABILITATION EXERCISES IN RUNNERS. *Int J Sports Phys Ther*. 2020;15(2):229-237.
54. Lewis CL, Sahrmann SA, Moran DW. Effect of position and alteration in synergist muscle force contribution on hip forces when performing hip strengthening exercises. *Clin Biomech (Bristol, Avon)*. 2009;24(1):35-42.
55. Krause DA, Hollman JH. ELECTROMYOGRAPHIC ANALYSIS OF HIP MUSCLE ACTIVATION DURING A SINGLE LIMB SQUAT LATERAL SLIDE EXERCISE. *Int J Sports Phys Ther*. 2020;15(5):755-762.
56. O'Sullivan K, Smith SM, Sainsbury D. Electromyographic analysis of the three subdivisions of gluteus medius during weight-bearing exercises. *Sports Med Arthrosc Rehabil Ther Technol*. 2010;2:17.
57. Delp SL, , Hess WE, , Hungerford DS, , Jones LC, . Variation of rotation moment arms with hip flexion. *J Biomech*. 1999;32:493-501.
58. Lyons K, Perry J, Gronley JK, Barnes L, Antonelli D. Timing and relative intensity of hip extensor and abductor muscle action during level and stair ambulation. An EMG study. *Phys Ther*. 1983;63:1597-1605.
59. Selkowitz DM, Beneck GJ, Powers CM. Which exercises target the gluteal muscles while minimizing activation of the tensor fascia lata? Electromyographic assessment using fine-wire electrodes. *J Orthop Sports Phys Ther*. 2013;43(2):54-64.
60. Chan MK, Chow KW, Lai AY, Mak NK, Sze JC, Tsang SM. The effects of therapeutic hip exercise with abdominal core activation on recruitment of the hip muscles. *BMC Musculoskelet Disord*. 2017;18(1):313.
61. Khayambashi K, Ghoddosi N, Straub RK, Powers CM. Hip Muscle Strength Predicts Noncontact Anterior Cruciate Ligament Injury in Male and Female Athletes: A Prospective Study. *Am J Sports Med*. 2016;44(2):355-361.
62. Lee, Ji-hyun, Heon-seock Cynn, Sil-ah Choi, Tae-lim Yoon, and Hyo-jung Jeong. " Effects of Different Hip Rotations on Gluteus Medius and Tensor Fasciae Latae Muscle Activity During Isometric Side-Lying Hip Abduction". *Journal of Sport Rehabilitation*. 2013; 22(4): 301-307.
63. Lee JH, Cynn HS, Kwon OY, et al. Different hip rotations influence hip abductor muscles activity during isometric side-lying hip abduction in subjects with gluteus medius weakness. *J Electromyogr Kinesiol*. 2014;24(2):318-324.
64. Grimaldi A, Richardson C, Stanton W, Durbridge G, Donnelly W, Hides J. The association between degenerative hip joint pathology and size of the gluteus medius, gluteus minimus and piriformis muscles. *Man Ther*. 2009;14(6):605-610.

65. Neumann DA. Kinesiology of the hip: a focus on muscular actions. *J Orthop Sports Phys Ther.* 2010;40(2):82-94.
66. Delp SL, Hess WE, Hungerford DS, Jones LC. Variation of rotation moment arms with hip flexion. *J Biomech.* 1999;32(5):493-501.
67. Eryiğit S, Al Kafee A, Akan A. Analysis of the quadratus lumborum muscle activity on leg length discrepancy: A randomized controlled trial. *J Back Musculoskelet Rehabil.* 2021;10.3233/BMR-181177.
68. Knutson GA, Owens E. Erector spinae and quadratus lumborum muscle endurance tests and supine leg-length alignment asymmetry: an observational study. *J Manipulative Physiol Ther.* 2005;28(8):575-581.
69. Irish SE, Millward AJ, Wride J, Haas BM, Shum GL. The effect of closed-kinetic chain exercises and open-kinetic chain exercise on the muscle activity of vastus medialis oblique and vastus lateralis. *J Strength Cond Res.* 2010;24(5):1256-1262.
70. Smith TO, Bowyer D, Dixon J, Stephenson R, Chester R, Donell ST. Can vastus medialis oblique be preferentially activated? A systematic review of electromyographic studies. *Physiother Theory Pract.* 2009;25(2):69-98.
71. Mills M, Frank B, Goto S, et al. EFFECT OF RESTRICTED HIP FLEXOR MUSCLE LENGTH ON HIP EXTENSOR MUSCLE ACTIVITY AND LOWER EXTREMITY BIOMECHANICS IN COLLEGE-AGED FEMALE SOCCER PLAYERS. *Int J Sports Phys Ther.* 2015;10(7):946-954.
72. Ranganathan VK, Siemionow V, Liu JZ, Sahgal V, Yue GH. From mental power to muscle power--gaining strength by using the mind. *Neuropsychologia.* 2004;42(7):944-956.
73. Kjeldsen, L.L., Blankholm, A.D., Jurik, A.G., Salvig, J.D. and Maimburg, R.D. Pelvic capacity in pregnant women, identified using magnetic resonance imaging. *Acta Obstet Gynecol Scand.* 2021.100: 1454-1462
74. Xu HN, Xia ZJ, Li BX, et al. Investigation of correlation between diameters of pelvic inlet and outlet planes and female pelvic floor dysfunction. *Eur J Obstet Gynecol Reprod Biol.* 2011;159(2):461-464.
75. Hodges PW, Richardson CA. Delayed postural contraction of transversus abdominis in low back pain associated with movement of the lower limb. *J Spinal Disord* 1998;11:46-56.
76. Hu H, Meijer OG, van Dieën JH, et al. Is the psoas a hip flexor in the active straight leg raise?. *Eur Spine J.* 2011;20(5):759-765.
77. Shiozawa H, Ohsawa T, Tsushima Y, Higuchi T, Takagishi K, Chikuda H. Evaluation of muscle activity just after straight leg raising exercise by using 18FDG-PET. *J Orthop Sci.* 2018;23(2):328-333.
78. Jeon IC, Kwon OY, Weon JH, Choung SD, Hwang UJ. Comparison of psoas major muscle thickness measured by sonography during active straight leg raising in subjects with and without uncontrolled lumbopelvic rotation. *Man Ther.* 2016;21:165-169. doi:10.1016/j.math.2015.07.006
79. O'Sullivan PB, Beales DJ, Beetham JA, et al. Altered motor control strategies in subjects with sacroiliac joint pain during the active straight-leg-raise test. *Spine* 2002;27:E1-8.

80. Teyhen DS, Williamson JN, Carlson NH, Suttles ST, O'Laughlin SJ, Whittaker JL, Goffar SL, Childs JD. Ultrasound characteristics of the deep abdominal muscles during the active straight leg raise test. *Arch Phys Med Rehabil* 2009;90:761-7.
81. Beales DJ, O'Sullivan PB, Briffa NK. Motor control patterns during an active straight leg raise in pain-free subjects. *Spine (Phila Pa 1976)*. 2009;34(1):E1-E8.
82. Park KH, Ha SM, Kim SJ, Park KN, Kwon OY, Oh JS. Effects of the pelvic rotatory control method on abdominal muscle activity and the pelvic rotation during active straight leg raising. *Man Ther*. 2013;18(3):220-224.
83. Crasto C, Montes AM, Carvalho P, Carral JC. Abdominal muscle activity and pelvic motion according to active straight leg raising test results in adults with and without chronic low back pain. *Musculoskelet Sci Pract*. 2020;50:102245.
84. Mens JM, Vleeming A, Snijders CJ, Koes BW, Stam HJ. Validity of the active straight leg raise test for measuring disease severity in patients with posterior pelvic pain after pregnancy. *Spine (Phila Pa 1976)*. 2002;27(2):196-200.
85. Mens JMA, Pool-Goudzwaard A. The transverse abdominal muscle is excessively active during active straight leg raising in pregnancy-related posterior pelvic girdle pain: an observational study. *BMC Musculoskelet Disord*. 2017;18(1):372.
86. Mens, J.M.A., Vleeming, A., Snijders, C.J., Stam, H.J., Ginai, A.Z., 1999. The active straight leg raising test and mobility of the pelvic joints. *Euro Spine J*. 8 (6), 468–473.
87. Vigotsky AD, Lehman GJ, Beardsley C, Contreras B, Chung B, Feser EH. The modified Thomas test is not a valid measure of hip extension unless pelvic tilt is controlled. *PeerJ*. 2016;4:e2325.
88. Kim WD, Shin D. Correlations Between Hip Extension Range of Motion, Hip Extension Asymmetry, and Compensatory Lumbar Movement in Patients with Nonspecific Chronic Low Back Pain. *Med Sci Monit*. 2020;26:e925080.
89. Tenney HR, Boyle KL, Debord A. Influence of Hamstring and Abdominal Muscle Activation on a Positive Ober's Test in People with Lumbopelvic Pain. *Physiother Can*. 2013;65(1):4-11.
90. Hall M, Chadwick Smith J. THE EFFECTS OF AN ACUTE BOUT OF FOAM ROLLING ON HIP RANGE OF MOTION ON DIFFERENT TISSUES. *Int J Sports Phys Ther*. 2018;13(4):652-660.
91. D'Amico A, Silva K, Gallo J. Time Course of Acute Hip Adduction Range of Motion Changes Following Foam Rolling. *IJSPT*. 2021;16(2):431-437.
92. Bolt C, O'Keeffe F, Finnegan P, et al. Straight leg elevation to rule out pelvic injury. *Injury*. October 2017. doi:10.1016/j.injury.2017.10.009.
93. Willett GM, Keim SA, Shostrom VK, Lomneth CS. An Anatomic Investigation of the Ober Test. *Am J Sports Med*. 2016;44(3):696-701.
94. Pesonen J, Shacklock M, Rantanen P, et al. Extending the straight leg raise test for improved clinical evaluation of sciatica: reliability of hip internal rotation or ankle dorsiflexion. *BMC Musculoskelet Disord*. 2021;22(1):303.
95. Roussel N, Nijs J, Truijten S, Vervecken L, Mottram S, Stassijns G. Altered breathing patterns during lumbopelvic motor control tests in chronic low back pain: a case-control study. *Eur Spine J*. 2009;18(7):1066-1073.

96. Kim KH, Cho SH, Goo BO, Baek IH. Differences in Transversus Abdominis Muscle Function between Chronic Low Back Pain Patients and Healthy Subjects at Maximum Expiration: Measurement with Real-time Ultrasonography. *J Phys Ther Sci.* 2013;25(7):861-863.
97. Smith BE, Littlewood C, May S. An update of stabilisation exercises for low back pain: a systematic review with meta-analysis. *BMC Musculoskelet Disord.* 2014;15:416.
98. Scorcelletti, M, Reeves, ND, Rittweger, J, Ireland, A. Femoral anteversion: significance and measurement. *J. Anat.* 2020; 237: 811– 826.
99. Ito I, Miura K, Kimura Y, Sasaki E, Tsuda E, Ishibashi Y. Differences between the Craig's test and computed tomography in measuring femoral anteversion in patients with anterior cruciate ligament injuries. *J Phys Ther Sci.* 2020;32(6):365-369.
100. Buckthorpe M, Stride M, Villa FD. ASSESSING AND TREATING GLUTEUS MAXIMUS WEAKNESS - A CLINICAL COMMENTARY. *Int J Sports Phys Ther.* 2019;14(4):655-669.
101. Bryanton MA, Carey JP, Kennedy MD, Chiu LZ. Quadriceps effort during squat exercise depends on hip extensor muscle strategy. *Sports Biomech.* 2015;14(1):122-138.
102. Korak JA, Paquette MR, Fuller DK, Caputo JL, Coons JM. Muscle Activation Patterns of Lower-Body Musculature Among 3 Traditional Lower-Body Exercises in Trained Women. *J Strength Cond Res.* 2018;32(10):2770-2775.
103. Glaviano NR, Saliba S. Differences in Gluteal and Quadriceps Muscle Activation During Weight-Bearing Exercises Between Female Subjects With and Without Patellofemoral Pain. *J Strength Cond Res.* 2022;36(1):55-62.
104. Mauntel TC, Begalle RL, Cram TR, et al. The effects of lower extremity muscle activation and passive range of motion on single leg squat performance. *J Strength Cond Res.* 2013;27(7):1813-1823.
105. Khuu A, Loverro KL, Lewis CL. Muscle activation during single leg squat is affected by position of the nonstance limb. *J Athl Train.* 2021;10.4085/1062-6050-0019.21.
106. Schuermans J, Van Tiggelen D, Witvrouw E. Prone Hip Extension Muscle Recruitment is Associated with Hamstring Injury Risk in Amateur Soccer. *Int J Sports Med.* 2017;38(9):696-706.
107. Ko HI PT, Jeon SY PT, Kim SH PT, PhD, Park KN PT, PhD. Comparison of hip extensor muscle activity including the adductor magnus during three prone hip extension exercises. *Physiother Theory Pract.* 2019;35(5):451-457.
108. Benn ML, Pizzari T, Rath L, Tucker K, Semciw AI. Adductor magnus: An EMG investigation into proximal and distal portions and direction specific action. *Clin Anat.* 2018;31(4):535-543.
109. Ha SM, Jeon IC. Comparison of the electromyographic recruitment of the posterior oblique sling muscles during prone hip extension among three different shoulder positions. *Physiother Theory Pract.* 2021;37(9):1043-1050.
110. Lee JK, Lee JH, Kim KS, Lee JH. Effect of abdominal drawing-in maneuver with prone hip extension on muscle activation of posterior oblique sling in normal adults. *J Phys Ther Sci.* 2020;32(6):401-404.

111. Park KY, Jeon IC, Hwang UJ, Jung SH, Ha SM, Yim SY. Effects of abdominal drawing-in maneuver with or without prior iliopsoas stretching on gluteus maximus activity during prone hip extension. *J Back Musculoskelet Rehabil.* 2021;10.3233/BMR-200251.
112. Yoon JY, Lee MR, An DH. Effect of initial position on the muscle activity of the hip extensors and amount of pelvic tilt during prone hip extension. *J Phys Ther Sci.* 2015;27(4):1195-1197.
113. Kwon YJ, Lee HO. How different knee flexion angles influence the hip extensor in the prone position. *J Phys Ther Sci.* 2013;25(10):1295-1297.
114. Kim TW, Kim YW. Effects of abdominal drawing-in during prone hip extension on the muscle activities of the hamstring, gluteus maximus, and lumbar erector spinae in subjects with lumbar hyperlordosis. *J Phys Ther Sci.* 2015;27(2):383-386.
115. Krebs DE, Robbins CE, Lavine L, Mann RW. Hip biomechanics during gait. *J Orthop Sports Phys Ther.* 1998;28(1):51-59. doi:10.2519/jospt.1998.28.1.51
116. Rodriguez, Kelly M. HIP MUSCLE STRENGTH AND PELVIC OBLIQUITY IN COLLEGIATE FEMALES DURING WALKING AND STAIR DESCENT TASKS. 2009.
117. Lewis CL, Sahrmann SA. Effect of posture on hip angles and moments during gait. *Man Ther.* 2015;20(1):176-182.
118. Lawrenson P, Hodges P, Crossley K, Vicenzino B, McGorm M, Semciw A. The effect of altered stride length on iliocapsularis and pericapsular muscles of the anterior hip: An electromyography investigation during asymptomatic gait. *Gait Posture.* 2019;71:26-31.
119. Barker PJ, Hapuarachchi KS, Ross JA, Sambaiew E, Ranger TA, Briggs CA. Anatomy and biomechanics of gluteus maximus and the thoracolumbar fascia at the sacroiliac joint. *Clin Anat.* 2014;27(2):234-240.
120. Guanche CA, Sikka RS. Acetabular labral tears with underlying chondromalacia: a possible association with high-level running. *Arthroscopy* 2005;21:580–585.
121. Lewis CL, Sahrmann SA, Moran DW. Anterior hip joint force increases with hip extension, decreased gluteal force, or decreased iliopsoas force. *J Biomech.* 2007;40(16):3725-3731.
122. E. Dickenson, P.D.H. Wall, B. Robinson, M. Fernandez, H. Parsons, R. Buchbinder, et al., Prevalence of cam hip shape morphology: a systematic review, *Osteoarthritis Cartilage* 24(6) (2016) 949-61.
123. Savage TN, Saxby DJ, Pizzolato C, et al. Trunk, pelvis and lower limb walking biomechanics are similarly altered in those with femoroacetabular impingement syndrome regardless of cam morphology size. *Gait Posture.* 2021;83:26-34.
124. Fredericson M, Cookingham CL, Chaudhari AM, Dowdell BC, Oestreicher N, Sahrmann SA. Hip abductor weakness in distance runners with iliotibial band syndrome. *Clin J Sport Med.* 2000;10(3):169-175.
125. Magalhães E, Silva AP, Sacramento SN, Martin RL, Fukuda TY. Isometric strength ratios of the hip musculature in females with patellofemoral pain: a comparison to pain-free controls. *J Strength Cond Res.* 2013;27(8):2165-2170.
126. Ng KCG, Mantovani G, Modenese L, Beulé PE, Lamontagne M. Altered Walking and Muscle Patterns Reduce Hip Contact Forces in Individuals With Symptomatic Cam Femoroacetabular Impingement. *Am J Sports Med.* 2018;46(11):2615-2623.



127. Uemura K, Atkins PR, Peters CL, Anderson AE. The effect of pelvic tilt on three-dimensional coverage of the femoral head: A computational simulation study using patient-specific anatomy. *Anat Rec (Hoboken)*. 2021;304(2):258-265.
128. Kapron AL, Peters CL, Aoki SK, et al. The prevalence of radiographic findings of structural hip deformities in female collegiate athletes. *Am J Sports Med*. 2015;43(6):1324-1330.
129. de Silva V, Swain M, Broderick C, McKay D. Does high level youth sports participation increase the risk of femoroacetabular impingement? A review of the current literature. *Pediatr Rheumatol Online J*. 2016;14(1):16. Published 2016 Mar 11.
130. Catelli DS, Kowalski E, Beaulé PE, Smit K, Lamontagne M. Asymptomatic Participants With a Femoroacetabular Deformity Demonstrate Stronger Hip Extensors and Greater Pelvis Mobility During the Deep Squat Task. *Orthop J Sports Med*. 2018;6(7):2325967118782484.
131. Frank JM, Harris JD, Erickson BJ, et al. Prevalence of Femoroacetabular Impingement Imaging Findings in Asymptomatic Volunteers: A Systematic Review. *Arthroscopy*. 2015;31(6):1199-1204.
132. Mendis MD, Wilson SJ, Hayes DA, Watts MC, Hides JA. Hip flexor muscle size, strength and recruitment pattern in patients with acetabular labral tears compared to healthy controls. *Man Ther*. 2014;19(5):405-410.
133. Ross JR, Nepple JJ, Philippon MJ, Kelly BT, Larson CM, Bedi A. Effect of changes in pelvic tilt on range of motion to impingement and radiographic parameters of acetabular morphologic characteristics. *Am J Sports Med*. 2014;42(10):2402-2409.
134. Mata AJ, Hayashi H, Moreno PA, Dudley RI, Sorenson EA. Hip Flexion Angles During Supine Range of Motion and Bodyweight Squats. *Int J Exerc Sci*. 2021;14(1):912-918.
135. Beck EC, Nwachukwu BU, Krivicich LM, et al. Preoperative Hip Extension Strength Is an Independent Predictor of Achieving Clinically Significant Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. *Sports Health*. 2020;12(4):361-372.
136. Catelli DS, Kowalski E, Beaulé PE, Lamontagne M. Muscle and Hip Contact Forces in Asymptomatic Men With Cam Morphology During Deep Squat. *Front Sports Act Living*. 2021;3:716626. Published 2021 Sep 9.
137. Register B, Pennock AT, Ho CP, Strickland CD, Lawand A, Philippon MJ. Prevalence of abnormal hip findings in asymptomatic participants: a prospective, blinded study. *Am J Sports Med*. 2012;40(12):2720-2724.
138. Heerey JJ, Kemp JL, Mosler AB, et al. What is the Prevalence of Hip Intra-Articular Pathologies and Osteoarthritis in Active Athletes with Hip and Groin Pain Compared with Those Without? A Systematic Review and Meta-Analysis [published correction appears in *Sports Med*. 2019 Apr 23;:]. *Sports Med*. 2019;49(6):951-972.
139. Jacobs CA, Burnham JM, Jochimsen KN, Molina D 4th, Hamilton DA, Duncan ST. Preoperative Symptoms in Femoroacetabular Impingement Patients Are More Related to Mental Health Scores Than the Severity of Labral Tear or Magnitude of Bony Deformity. *J Arthroplasty*. 2017;32(12):3603-3606.

140. Dwyer MK, Lewis CL, Hanmer AW, McCarthy JC. Do Neuromuscular Alterations Exist for Patients With Acetabular Labral Tears During Function?. *Arthroscopy*. 2016;32(6):1045-1052.
141. Espay AJ, Norris MM, Eliassen JC, et al. Placebo effect of medication cost in Parkinson disease: a randomized double-blind study. *Neurology*. 2015;84(8):794-802.
142. Sihvonen R, Paavola M, Malmivaara A, et al. Arthroscopic partial meniscectomy for a degenerative meniscus tear: a 5 year follow-up of the placebo-surgery controlled FIDELITY (Finnish Degenerative Meniscus Lesion Study) trial. *Br J Sports Med*. 2020;54(22):1332-1339.
143. Seco-Calvo, J.; Palavicini, M.; Rodríguez-Pérez, V.; Sánchez-Herráez, S.; Abecia-Inchaurregui, L.C.; Mielgo-Ayuso, J. The Role of Hip Joint Clearance Discrepancy as Other Clinical Predictor of Reinjury and Injury Severity in Hamstring Tears in Elite Athletes. *J. Clin. Med*. 2021, 10, 1050.
144. Whyte EF, Heneghan B, Feely K, Moran KA, O'Connor S. The Effect of Hip Extension and Nordic Hamstring Exercise Protocols on Hamstring Strength: A Randomized Controlled Trial. *J Strength Cond Res*. 2021;35(10):2682-2689.
145. Jansen J, Weir A, Denis R, Mens J, Backx F, Stam H. Resting thickness of transversus abdominis is decreased in athletes with longstanding adduction-related groin pain. *Med Sci Sports Exerc*. 2004;36(12):2040-2045. doi:10.1249/01.mss.0000147587.81762.44
146. Harøy J, Clarsen B, Wiger EG, et al. The Adductor Strengthening Programme prevents groin problems among male football players: a cluster-randomised controlled trial. *British Journal of Sports Medicine* 2019;53:150-157.
147. Tyler TF, Nicholas SJ, Campbell RJ, et al. The association of hip strength and flexibility with the incidence of adductor muscle strains in professional ice hockey players. *Am J Sports Med* 2001;29:124–8.
148. Yousefzadeh A, Shadmehr A, Olyaei GR, et al. Effect of Holmich protocol exercise therapy on long-standing adductor-related groin pain in athletes: an objective evaluation. *BMJ Open Sport & Exercise Medicine* 2018;4:e000343.
149. Yousefzadeh A, Shadmehr A, Olyaei GR, Naseri N, Khazaeipour Z. The Effect of Therapeutic Exercise on Long-Standing Adductor-Related Groin Pain in Athletes: Modified Hölmich Protocol. *Rehabil Res Pract*. 2018;2018:8146819.
150. Michel F, Decavel P, Toussiroit E, et al. The piriformis muscle syndrome: an exploration of anatomical context, pathophysiological hypotheses and diagnostic criteria. *Ann Phys Rehabil Med*. 2013;56(4):300-311.
151. Kizaki K, Uchida S, Shanmugaraj A, et al. Deep gluteal syndrome is defined as a non-discogenic sciatic nerve disorder with entrapment in the deep gluteal space: a systematic review. *Knee Surg Sports Traumatol Arthrosc*. 2020;28(10):3354-3364.
152. Morimoto Y, Oshikawa T, Imai A, Okubo Y, Kaneoka K. Piriformis electromyography activity during prone and side-lying hip joint movement. *J Phys Ther Sci*. 2018;30(1):154-158.

153. Kay J, de Sa D, Morrison L, et al. Surgical Management of Deep Gluteal Syndrome Causing Sciatic Nerve Entrapment: A Systematic Review. *Arthroscopy*. 2017;33(12):2263-2278.e1.
154. Webster BS, Bauer AZ, Choi Y, Cifuentes M, Pransky GS. Iatrogenic consequences of early magnetic resonance imaging in acute, work-related, disabling low back pain. *Spine (Phila Pa 1976)*. 2013;38(22):1939-1946.
155. Park JW, Lee YK, Lee YJ, Shin S, Kang Y, Koo KH. Deep gluteal syndrome as a cause of posterior hip pain and sciatica-like pain. *Bone Joint J*. 2020;102-B(5):556-567.
156. Martin R, Martin HD, Kivlan BR. NERVE ENTRAPMENT IN THE HIP REGION: CURRENT CONCEPTS REVIEW. *Int J Sports Phys Ther*. 2017;12(7):1163-1173.
157. Strauss EJ, Nho SJ, Kelly BT. Greater trochanteric pain syndrome. *Sports Med Arthrosc Rev*. 2010;18(2):113-119.
158. Flato R, Passanante GJ, Skalski MR, Patel DB, White EA, Matcuk GR Jr. The iliotibial tract: imaging, anatomy, injuries, and other pathology. *Skeletal Radiol*. 2017;46(5):605-622.
159. Grant C, Pajaczkowski J. Conservative management of femoral anterior glide syndrome: a case series. *J Can Chiropr Assoc*. 2018;62(3):182-192.
160. Allison K, Wrigley TV, Vicenzino B, Bennell KL, Grimaldi A, Hodges PW. Kinematics and kinetics during walking in individuals with gluteal tendinopathy. *Clin Biomech (Bristol, Avon)*. 2016;32:56-63.
161. Hungerford B, Gilleard W, Hodges P. Evidence of altered lumbopelvic muscle recruitment in the presence of sacroiliac joint pain. *Spine (Phila Pa 1976)*. 2003;28(14):1593-1600.
162. Prather H, Bonnette M, Hunt D. Nonoperative Treatment Options for Patients With Sacroiliac Joint Pain. *Int J Spine Surg*. 2020;14(Suppl 1):35-40. Published 2020 Feb 10.
163. Nejati P, Safarcherati A, Karimi F. Effectiveness of Exercise Therapy and Manipulation on Sacroiliac Joint Dysfunction: A Randomized Controlled Trial. *Pain Physician*. 2019;22(1):53-61.
164. Tatu L, Parratte B, Vuillier F, Diop M, Monnier G. Descriptive anatomy of the femoral portion of the iliopsoas muscle. Anatomical basis of anterior snapping of the hip. *Surg Radiol Anat*. 2001;23(6):371-374.
165. JaeHo Yu\*, JiHeon Hong, JinSeop Kim, Seon-Jun Kim, Da-Som Sim, Ji-Eun Lim, DongYeop and Lee. Influence of Head Posture on Trunk Muscle Activation during Prone Bridging Exercise. *Indian Journal of Science and Technology*. 2015; 8(S7), 423–427.
166. Hlavenka TM, Christner VFK, Gregory DE. Neck posture during lifting and its effect on trunk muscle activation and lumbar spine posture. *Appl Ergon*. 2017;62:28-33.
167. Cohen SP, Chen Y, Neufeld NJ. Sacroiliac joint pain: a comprehensive review of epidemiology, diagnosis and treatment. *Expert Rev Neurother*. 2013;13(1):99-116. doi:10.1586/ern.12.148